

INDIVIDUAL SOLUTIONS FOR BETTER ORGANISATION

BETTER OVERVIEW WITH PRODUCTS FROM HAHN+KOLB



HAHN+KOLB
GROUP



LET'S WORK TOGETHER.

VERSATILE
AND SIMPLE SOLUTIONS.



INDIVIDUAL SOLUTIONS FOR BETTER ORGANISATION

Our solutions for better clarity and efficiency in the workplace consist of very flexible and compatible systems. Each of them is strong and effective in use, and increases ergonomics and productivity in the workplace. In combination, the user-friendly CLIP-O-FLEX solution and our HK hard foam inserts for optimal use of space offer tidiness and a good overview at the workplace and increase safety and productivity. CLIP-O-FLEX adapts flexibly to every workplace and the HK hard foam inserts can be configured individually for your tools. Tailored solutions for each piece of factory equipment and for each process.

Hard foam inserts

The HK hard foam inserts are made of lightweight, durable PE foam. The shock-absorbing function ensures that your tools, measuring instruments and components are equally safe and secure. The two-tone design helps you see at a glance whether something is missing.



CLIP-O-FLEX

The flexible hanging system enables you to expand your individual workplace with just one click, thereby providing flexibility both horizontally and vertically. Tools and small parts are always within reach – at the machine, at the assembly location, in the tool case or stored neatly in the cabinet.



**INDIVIDUAL
HARD FOAM INSERTS.**

BROAD RANGE OF USES IN ALL AREAS.



Hard foam inserts

Individually appointed and clean, tidy workplaces are the basis for efficient work processes. At the same time, well-coordinated and organised processes contribute greatly to the productivity of the company. With faster setup times, more efficient use of time and material as well as an optimal space utilisation they even contribute greatly to increasing the productivity even more. Our hard foam inserts will help you achieve this: Already equipped with high-quality tools or individually planned, the inserts maintain order down to the tiniest screw.

As an extended work and storage area on the tool trolley, at the machine or workbench, as an individual item of factory equipment with maximum efficiency or as a perfectly organised and manageable storage and transport case – the solutions offer great flexibility and score points in any application for improved organisation and better overview, tidiness and security.

OVERVIEW OF ADVANTAGES


- Can be used individually and flexibly
- Light and durable
- Oil-resistant and water-repellent
- Neutral odour and food-safe
- Protection against pollution, environmental influences and impacts
- Perfect order
- Secure storing of tools



HARD FOAM INSERTS FROM HAHN+KOLB

A perfectly organised workplace increases productivity and safety in every process. For optimal performance, this perfect organisation must be maintained down to the last detail. Our hard foam inserts will help you achieve this: Already equipped with high-quality tools or individually planned, the inserts maintain order down to the tiniest screw. High-quality material and the latest technology allow for detailed outlines and a wide range of cavities – always near to the surface for easy removal. Each part has its dedicated space, which means that the contents is also secure during transport and storage. The two-tone material helps you see at a glance whether an item is missing.

ALMOST ANYTHING IS POSSIBLE



DIMENSIONS

The largest hard foam insert is 1,500 mm long and 1,000 mm wide. Almost all sizes and cuts smaller than this are possible.

COLOURS

The black coating layer can be combined with the standard colour blue as well as with the colours red, green, yellow, white or grey. The relevant colour can then be seen in the cutouts.

THICKNESS

Hard foam inserts are available in the following thicknesses: 30, 60 or 90 millimetres. Larger thicknesses up to max. 210 mm are available for custom models.

BROAD RANGE OF USES AND WELL-SORTED

The different but always near-surface pocket and bore depths facilitate the removal of all contents such as tools and small parts. A special milling technique enables additional production which delivers a particularly firm hold of the contents and which is guaranteed even when the hard foam inserts are at a vertical position. In this way tools can also be stored in a safe and clearly structured manner in a 90° position. HK hard foam inserts are the ideal organisation system, which can be designed for individual needs. All cavities can be planned for and implemented in millimetre increments, from an exact outline to circular pockets, hole grids and rectangular pockets. Due to the proximity to the surface even small parts and micro parts are quickly to hand. Despite this feature, the contents are securely stored and optimally protected.




INDIVIDUAL
HARD FOAM INSERTS.

BROAD RANGE OF USES IN ALL AREAS.




HARD FOAM INSERTS DESIGNER SOFTWARE

Contact your HAHN+KOLB contact for a face-to-face consultation



Using the software, you can also create any geometric shape.



The quick and easy configurator for your individual hard foam inserts. Hard foam inserts can be custom-made for tools from the current HAHN+KOLB-product range and tailored to your existing drawer dimensions. With just a few clicks you can plan and design completely individual hard foam inserts that are equipped with tools and adapted to your wishes and needs.

The free HK hard foam inserts designer software is easy to use and clearly laid out. As a result, you can make your own personal and completely unique hard foam insert quickly and easily. Planning errors are eliminated by real-time calculation, integrated contour collision testing and technical feasibility checks.

Simply place each tool as desired and turn it into the required position. Use the laser labeller to add your personal signature and give the hard foam insert a unique touch.

THE LABEL

Each HK hard foam insert has its individual label on the back with the corresponding, unique article number. In this way you have all the information in one location and can re-order individual tools and inserts easily and quickly where required. This avoids a tool surplus and provides a clearer overview of your inventory.



ATORN®

Hard foam inserts

EQUIPPED WITH HIGH-QUALITY ATORN TOOLS



The hard foam inserts already fully equipped with high-quality tools are the ideal addition to our workshop equipment and the CLIP-O-FLEX system. The tools are supplied clearly arranged and perfectly sorted, and are immediately ready to use. These sets also have an article number marked on the label and are consequently easy and fast to re-order.


Design:

- Overall dimensions (W x D x H)
260 x 345 x 30 mm
- Art. No. 50537591
Overall dimensions (W x D x H)
520 x 345 x 30 mm
- Made of polyethylene (PE),
colour black/blue
- For flexible equipping of drawers
and trays
- For clearly arranged and protected
storage of tools in drawers and trays




Scope of delivery: 1 ATORN double ring wrench each, size 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 mm

50537	Ref. no.	505
-------	----------	-----



Scope of delivery: 1 ATORN double open-end wrench each, size 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 21 x 23, 24 x 27, 30 x 32 mm

50537	Ref. no.	507
-------	----------	-----



Scope of delivery: 1 ATORN combination spanner each, width a.f. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm

50537	Ref. no.	509
-------	----------	-----



Scope of delivery: 1 ATORN combination ratchet spanner each, width a.f. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm; 1 ATORN adapter each for 1/4" bits, for 1/4", 3/8", 1/2" square

50537	Ref. no.	511
-------	----------	-----




Scope of delivery: 1 ATORN double open-end wrench each, size 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 30 x 32 mm

50537	Ref. no.	512
-------	----------	-----



Scope of delivery: ATORN electronic vernier callipers 150 mm, ATORN micrometer 0-25 mm, ORION spring divider 125 mm, ATORN pocket tape measure 3 m, ORION spring steel ruler 200 mm, ATORN straight edge 100 mm, ATORN flat square 100 x 70 mm, ORION protractor 120 x 150 mm

50537	Ref. no.	513
-------	----------	-----



Scope of delivery: ATORN hexagon screwdriver size 2, 2.5, 3, 4, 5, 6, 8, 10, ATORN angled screwdriver 13 pcs. T5-T50 long version


50537	Ref. no.	514
-------	----------	-----



Scope of delivery: ATORN hex. angled screwdriver 9 pcs.; 1 ATORN slotted screwdriver each, 5.5 x 100; 6.5 x 125; 8 x 150 mm, 1 ATORN Phillips screwdriver each, size PH1, PH2, PH3, PZ1, PZ2


50537	Ref. no.	515
-------	----------	-----

INDIVIDUAL SOLUTIONS




Scope of delivery: ATORN Torx screwdriver TR 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40

50537	Ref. no.	516
-------	----------	-----




Scope of delivery: ATORN snipe nose pliers 200 mm, ATORN combination pliers 180 mm, ATORN water pump pliers 250 mm, ATORN side cutters 165 mm, ATORN round-nose pliers 160 mm

50537	Ref. no.	517
-------	----------	-----




Scope of delivery: 1 ATORN circlip pliers each J1, J2, J11, J21, A1, A2, A11, A21

50537	Ref. no.	518
-------	----------	-----



Scope of delivery: 1 ATORN VDE slotted screwdriver each 2.5/3.5/4.0/5.5/10.0; 1 ATORN VDE Phillips screwdriver each, size PH1, PH2, PZ0, PZ1, PZ2, WIHA voltage tester

50537	Ref. no.	519
-------	----------	-----



Scope of delivery: ATORN VDE round-nose pliers 160 mm, ATORN VDE snipe nose pliers 200 mm straight, ATORN VDE snipe nose pliers 200 mm bent, ATORN VDE combination pliers 180 mm, ATORN VDE side cutters 160 mm, ATORN VDE wire stripping pliers 160 mm

50537	Ref. no.	521
-------	----------	-----



Scope of delivery: 1 ATORN hexagon screwdriver each size 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm

50537	Ref. no.	522
-------	----------	-----




Scope of delivery: 1 ATORN Torx screwdriver each
T8, T10, T15, T20, T25, T27, T30, T40, T45

50537	Ref. no.	523
-------	----------	-----



Scope of delivery: ATORN pocket tape measure 3 m, ATORN triangular hollow-ground scraper 150 mm, ORION all-purpose shears 180 mm, ORION blade 165 mm, telescope inspection mirror Ø 50 mm, telescopic pick-up magnet retention force 6 kg, Turbo LED hand-held lamp (without batteries)

50537	Ref. no.	524
-------	----------	-----



Scope of delivery: ATORN vernier callipers 31003 150 mm, ATORN micrometer 0-25 mm, ATORN knife-edge square 75 x 50 mm, ATORN straight edge 125 mm, ATORN try square 100 x 70 mm, ORION spring steel ruler 300 mm, ORION scribe 160 x 5 mm, ORION spring divider 125 mm, ORION feeler gauges, 20 blades, 0.05-1.00 mm

50537	Ref. no.	525
-------	----------	-----




Scope of delivery: ATORN vernier callipers 150 mm, ATORN pocket tape measure 3 m, ATORN try square 100 x 70 mm, ATORN bit box 32 pcs., ORION knife 165 mm, ORION all-purpose shears 180 mm, ORION spring steel ruler 300 mm, Turbo LED hand-held lamp (without batteries)

50537	Ref. no.	526
-------	----------	-----



Scope of delivery: ATORN machinist's hammer 500 g, ATORN carbide scribe 150 mm, ORION chisel set 6 pcs., ORION pin punch set 6 pcs., GEDORE protective covering for hammer

50537	Ref. no.	527
-------	----------	-----




Scope of delivery: ORION key files 100 mm, cut 2, 6 pcs. DICK files 200 mm, cut 2, 5 pcs.

50537	Ref. no.	529
-------	----------	-----



Scope of delivery: ATORN socket wrench set 1/4" and 1/2", 35 pcs. Equipped as 101 (but without box)

50537	Ref. no.	530
-------	----------	-----



Scope of delivery: ATORN socket wrench set 3/8", 49 pcs.

50537	Ref. no.	531
-------	----------	-----



Scope of delivery: ATORN socket wrench set 1/4", 45 pcs. ATORN Bit box, 32 pcs.

50537	Ref. no.	532
-------	----------	-----




Scope of delivery: ATORN socket wrench set 1/2", 35 pcs.

50537	Ref. no.	534
-------	----------	-----



Scope of delivery: ERDI sheet metal shears 260 mm, ERDI sheet metal shears straight 180 mm, weaver's scissors straight length 110 mm, all-purpose shears 250 mm, revolving punch pliers 220 mm long, ATORN utility knife

50537	Ref. no.	550
-------	----------	-----



Scope of delivery: ATORN electronic flat nose pliers 125 mm, ATORN electronic round-nose pliers 125 mm, ATORN electronic pointed pliers 125 mm curved, ATORN electronic pointed pliers 125 mm straight, ATORN electronic side cutters 112 mm with bevel, ATORN electronic side cutters 112 mm without bevel, ATORN electronic end cutting nippers 112 mm without bevel, ATORN crimping pliers 180 mm

50537	Ref. no.	560
-------	----------	-----



Scope of delivery: ATORN cable cutters 160 mm, ATORN crimping tool, ATORN VDE wire-stripping tool, ATORN triple pliers 160 mm, ATORN voltage tester, ORION cable knife

50537	Ref. no.	565
-------	----------	-----



Scope of delivery: METABO cordless drill screwdriver Power-Maxx BS Basic 10.8 V / 1.5 Ah incl. 2 x batteries (10.8 V / 1.5 Ah), 1 x charger, ATORN Bit box 32 pieces

50537	Ref. no.	580
-------	----------	-----



Scope of delivery: 1 ATORN torque screwdriver each 0.6 to 1.5 Nm, 1.5 to 3.0 Nm, 3.0 to 5.4 Nm, 1 ATORN socket wrench each 1/4" 4.0/4.5/5.0/5.5/6.0/7.0/8.0/9.0/10.0/11.0/12.0/13.0/14.0, ATORN bit holder for blades 170 mm, 1/4" bit holder, ATORN bit adapter for cordless drill 1/4", ATORN Bit box Collector Universal 61 pieces

50537	Ref. no.	570
-------	----------	-----



Scope of delivery: ATORN machinist's hammer 500 g, ATORN aluminium saw bow 300 with blade, ATORN bow saw spare blade 300 mm 10 pcs., ATORN carbide scriber 150 mm, ORION soft-face hammer Ø 30 mm, ORION chisel set 6 pcs., ORION pin punch set 6 pcs., ORION blade 145 mm

50537	Ref. no.	591
-------	----------	-----

A man in a blue polo shirt is looking at a tray of tools. The tray is filled with various tools, including wrenches and sockets, arranged in a grid. The background shows a workshop with a pegboard and various tools hanging on it. The man is holding the tray with both hands, and the tools are neatly organized. The overall scene is a professional workshop environment.

**THE FLEXIBLE
HOOK-IN SYSTEM**

YOUR TOOLS EXACTLY
WHERE YOU NEED THEM

CLIP-O-FLEX

A surface, room or place to work, and to set down and store items safely is a valuable asset for any application. To then also be able to use this individually, flexibly and optimally is often a challenge. The flexible Clip-O-FLEX hook-on system masters all these tasks and provides extended space with maximum vertical and horizontal movement. Because as a purpose and task-based unit the hook-in rail, profile and tray are perfectly matched. As a result they provide a valuable contribution and support to the productivity of each process by saving time, space and paths. They also enhance the quality because the hook-on trays help keep order, maintain an overview and reduce waste. CLIP-O-FLEX always adapts to the person and their tasks, thereby contributing greatly to health and operational safety.

OVERVIEW OF ADVANTAGES

- Can be used individually and flexibly
- Durable surface
- Vertical and horizontal use possible
- Flexible expansion of the system possible at any time
- Perfect order
- Storing tools neatly





CLIP-O-FLEX

CLIP-O-FLEX is extremely simple, functional and highly adaptable all in one. First use is already possible with one hook-in rail and the hook-in profile of your choice. The system can then easily and quickly be extended completely individually – at the machine, in the tool case or in the tool cabinet. Just a simple click allows you to loosen or fix the hook-in profile in the hook-in rail in up to three different angles, thereby extending your working or storage area completely individually. At the same time you remain highly flexible and can use the available space to the best advantage. The full application potential of CLIP-O-FLEX can be seen in the extension of all workshop equipment – tool trolleys, workbenches, assembly or transport trolleys.



THIS IS HOW EASY IT IS TO EXPAND YOUR WORK SURFACE WITH CLIP-O-FLEX



Depending on hook-in profile you determine the desired angle.



With a simple click fix the hook-in profile to the rail.



Your extended, flexible work or storage area is ready for use.

HORIZONTAL FLEXIBILITY

CLIP-O-FLEX profiles fixed in the hook-in rail remain flexible to the side. This enables you to simply slide the hook-in tray or box back and forth – wherever you need it. Should you no longer require the flexibility, simply secure the hook-in profile using the attachable safety device.



VERTICAL FLEXIBILITY

The hook-in profiles are available with different tilt angles of 0/45° or 0/40/80° or 0/45/90°. These different options allow for a wide range of flexible positions for the trays.



0°



40°



45°



80°



90°




CLIP-O-FLEX

Flat hook-in rail


FOR MOUNTING ON STRAIGHT SURFACES

With fastening hole:

- Includes left-hand and right-hand side covers
- Includes fastening material: Wood screws \varnothing 5 x 40 mm and plug screws \varnothing 5 x 50 mm
- Universal plugs \varnothing 7 mm, M5 countersunk head screws, nuts and shims \varnothing 5.3 x 15 x 1.5 mm. Hole pattern for standard products suitable for standardised hole grid plates (38-mm pitch).




Length	mm	500	700	750	800	990	1,400	1,500	2,000
Fastening holes		2	3	4	4	4	6	6	6
Scope of delivery: 1 pc.									
50237	Ref. no.	005	006	007	008	011	014	015	019



CLIP-O-FLEX

Hook-in profile 0/40/80° and 0/45/90°

MADE OF ALUMINIUM




0/40/80° version:

- Length 54 mm
- 3 angle positions: 0-40-80°



Drilled (drilling pattern per piece)	4 x 4.2 mm	4 x M5
Scope of delivery: 2 pcs.		
50237	Ref. no.	091 097



0/45/90° version:

- Length 54 mm
- 3 angle positions: 0-45-90°



Drilled (drilling pattern per piece)	4 x 4.2 mm	4 x M5
Scope of delivery: 2 pcs.		
50237	Ref. no.	092 098



CLIP-O-FLEX

Covers

PRACTICAL END PIECE



For hook-in rail With catch	Flat
Scope of delivery: 2 pcs.	
50237	Ref. no. 096



For hook-in rail With catch	Round
Scope of delivery: 2 pcs.	
50237	Ref. no. 270

Design:

- Black plastic
- Attachable



For hook-in profile 1 pair =	0/40/80° 1 x left + 1 x right	0/45/90° 1 x left + 1 x right	MINI 0/45° 1 x left + 1 x right
Scope of delivery: 1 pair			
50237	Ref. no. 093	094	100




CLIP-O-FLEX

Handles for trays
EASY HANDLING

Design:

- Attachable
- Plastic

For trays	White	Red	Black	
Scope of delivery: 2 pcs.				
50237	Ref. no.	280	281	282



CLIP-O-FLEX

Sliding block and cage nut
QUICK MOUNTING



Design:

- For round hook-in rail, includes M6 countersunk head screw
- Steel


Fastening	
Scope of delivery: 10 pcs.	
50237	Ref. no. 285



Design:

- For perforated metal plate walls
- Steel


Cage nut	mm	For 10 x 10 punching
Scope of delivery: 10 pcs.		
50237	Ref. no.	288




CLIP-O-FLEX


Sheet steel trays with hook-in profile 0/40/80°

POWDER-COATED SURFACE




Overall dimensions W x D x H	mm	262 x 347 x 31	522 x 347 x 31
Internal dimensions W x D x H	mm	260 x 345 x 30	520 x 345 x 30
Hook-in profile		0/40/80°	0/40/80°
50237	Ref. no.	101	103






CLIP-O-FLEX Trays made of sheet steel
WITH HOOK-IN PROFILE 0/45/90°



Overall dimensions W x D x H	mm	262 x 347 x 31	522 x 347 x 31
Internal dimensions W x D x H	mm	260 x 345 x 30	520 x 345 x 30
Hook-in profile		0/45/90°	0/45/90°
50237	Ref. no.	102	104



CLIP-O-FLEX Trays with
 hook-in profile 0/45/90°
MADE OF SHEET STEEL



Design:

- Includes 2 rubber feet

Overall dimensions W x D x H	mm	262 x 347 x 31	522 x 347 x 31
Internal dimensions W x D x H	mm	260 x 345 x 30	520 x 345 x 30
Hook-in profile		MINI 0/45°	MINI 0/45°
50237	Ref. no.	105	106





The 6 equipped hard foam inserts incl. 122-piece tool assortment fill 3 drawers and 1 CLIP-O-FLEX tray.

ATORN®

Tool trolleys

WITH CLIP-O-FLEX HOOK-IN RAILS

Design:

- Sturdy sheet steel structure with solvent-resistant plastic worktop and 2 integrated storage compartments
- Overall dimension (W x H x D) 778 x 913 x 496 mm, internal dimensions of drawers (W x D) = 527 x 348 mm, drawer panel height 6 x 80/1 x 165 mm
- Total load capacity 300 kg
- 7 fully extending drawers with roller guide, 20 kg load-carrying capacity per drawer
- 4 abrasion-resistant, rubber wheels ø 100 mm, 2 as msteering rollers, one of which can be locked
- Central locking with cylinder lock, includes 2 keys
- Powder-coated, paint: unit RAL 7035 light grey, drawers RAL 5010, gentian blue
- With 2 CLIP-O-FLEX hook-in rails and 1 tray (260 x 345 x 30 mm) with hook-in profile 0/40/80° tilt angle



The tray with the tool insert is hooked in the CLIP-O-FLEX rail in the bottom drawer and is stored securely.

Scope of delivery: Tool trolley with 6 hard foam inserts incl. 122 ATORN® tools (ref. no. 509, 515, 516, 517, 530, 591 – see from page 48), two-tone hard foam inserts made of polyethylene (PE) in black/blue

50557

Ref. no.

138

The tray dimensions (260 x 345 x 30 mm) correspond to the size of the equipped hard foam inserts.



CLIP-O-FLEX

Assembly trolley

WITH UNDERCOUNTER CABINET

Design:

- Robustly welded sheet steel construction with painted, 30 mm thick multiplex workbench top panel at the top of the housing
- Interior with convenient pull-out system
- Overall dimension (W x H x D) 474 x 958 x 405 mm (without push handle)
- Powder-coated, unit RAL 9006, white aluminium, fronts RAL 9005, jet black
- Trays also suitable for tool inserts, see page 16
- Running gear with 2 fixed castors and 2 steering rollers \varnothing 100 mm (one steering roller with stopper)
- Central lock with cylinder lock, includes 2 keys
- 2 different versions: either with a door 720 mm high (8 trays) or a 540 mm high door (6 trays) and 2 drawers
- Door stop either left or right

CLIP-O-FLEX assembly trolley with 1 door and 8 trays, door height 720 mm, overall height 958 mm

Door stop	Left	Left	Right	Right
Unit	RAL 9006	Other colour	RAL 9006	Other colour
Front	RAL 9005	Other colour	RAL 9005	Other colour
Scope of delivery: 1 pc.				
50237	Ref. no.	134	135	174

CLIP-O-FLEX assembly trolley with 1 door, 2 drawers and 6 trays, door height 540 mm, 2 drawers with inner dimension (W x T) 365 x 294 mm and load-carrying capacity 35 kg each, total height 958 mm

Door stop	Left	Left	Right	Right
Unit	RAL 9006	Other colour	RAL 9006	Other colour
Front	RAL 9005	Other colour	RAL 9005	Other colour
Scope of delivery: 1 pc.				
50237	Ref. no.	136	137	176



Application example with workbench assembly, perforated metal plate wall, hook-in rails and trays.



With convenient pull-out system for removing the trays.

CLIP-O-FLEX

Combination workbench

OPTIMAL ADAPTABILITY FOR YOUR WORK PROCESSES

Design:

- Overall dimension (W x H x D) 1,660 x 1,490 x 750 mm
- Total load capacity 800 kg with evenly distributed load
- Powder-coated, unit RAL 9006, white aluminium, fronts RAL 9005, jet black
- Workbench with undercounter cabinet made from robust welded sheet steel construction
- 40 mm thick beech multiplex workbench top panel
- Top panel length 1,500 mm, depth 750 mm, working height 840 mm
- Undercounter cabinet with 2 drawers and 1 door, includes convenient pull-out system for the CLIP-O-FLEX trays, cabinet either mounted on the right under the workbench with door stop on the right or mounted on the left under the workbench with left door stop, door height 540 mm

- Drawers with 100% full extension, drawer front height 90 mm, internal dimensions of drawers (W x D) 365 x 294 mm, load-carrying capacity 35 kg per drawer with evenly distributed load
- With 3 Clip-O-FLEX hook-in rails mounted on the work top panel to the left, right and front
- Undercounter cabinet interior with convenient pull-out system for CLIP-O-FLEX trays with 6 trays 345 x 260 x 30 mm with hook-in profile 0/40/80°

CLIP-O-Flex combination workbench with undercounter cabinet, with plate, base, 6 trays and pull-out system, without workbench assembly and perforated metal plate wall

	Left	Left	Right	Right
With undercounter cabinet and door stop				
Unit	RAL 9006	Other colour	RAL 9006	Other colour
Front	RAL 9005	Other colour	RAL 9005	Other colour

Scope of delivery: 1 pc.

50237	Ref. no.	114	115	116	117
-------	----------	-----	-----	-----	-----

CLIP-O-FLEX undercounter cabinet with 6 trays and pull-out system

	Left	Left	Right	Right
Door stop				
Height	mm	800	800	800
Unit		RAL 9006	Other colour	RAL 9006
Front		RAL 9005	Other colour	RAL 9005

Scope of delivery: 1 pc.

50237	Ref. no.	154	155	156	157
-------	----------	-----	-----	-----	-----



CLIP-O-FLEX

Wheeled workbenches

EQUIPPED WITH VARIOUS ACCESSORIES

Design:

- Robustly welded sheet steel construction with painted, 30 mm thick multiplex workbench top panel at the top of the housing
- Interior with convenient pull-out system
- Overall dimension (W x H x D) 953 x 958 x 405 mm (without push handle), internal dimensions of drawers (W x D) 365 x 294 mm, drawer front height 90 mm
- Load-carrying capacity 35 kg per drawer
- Powder-coated, unit RAL 9006, white aluminium, fronts RAL 9005, jet black
- Running gear with 2 fixed castors and 2 steering rollers Ø 100 mm (one steering roller with stopper)
- Central lock with cylinder lock, includes 2 keys
- 2 different versions: either with 2 doors and 2 drawers or with 2 doors and 4 drawers

CLIP-O-FLEX wheeled workbench with 2 doors, 4 drawers and 12 trays, door heights 2 x 540 mm, overall height 958 mm

Unit	RAL 9006	Other colour
Front	RAL 9005	Other colour
Scope of delivery: 1 pc.		
50237	Ref. no.	144
		145

CLIP-O-FLEX wheeled workbench with 2 doors, 2 drawers and 14 trays, door heights 1 x 540 mm / 1 x 720 mm, overall height 958 mm

Unit	RAL 9006	Other colour
Front	RAL 9005	Other colour
Scope of delivery: 1 pc.		
50237	Ref. no.	146
		147

LET'S WORK TOGETHER.



ORDER BY PHONE:
+49 7141 498-40



ORDER BY FAX:
+49 7141 498 41



ORDER BY POST:
HAHN+KOLB WERKZEUGE GMBH
SCHLIEFFENSTRASSE 40 / 71636 LUDWIGSBURG, GERMANY



ORDER BY EMAIL:
EXPORT@HAHN-KOLB.DE



ORDER FROM OUR ONLINE SHOP:
WWW.HAHN-KOLB.COM

ATORN® TOOL TROLLEY

WITH CLIP-O-FLEX HOOK-IN RAILS
AND 112-PIECE TOOL ASSORTMENT

Only 799.00

Special offer price



HAHN+KOLB
GROUP



LET'S WORK TOGETHER.

HAHN+KOLB WERKZEUGE GMBH

Schlieffenstraße 40
71636 Ludwigsburg, Germany
www.hahn-kolb.com

Tel. +49 (0) 7141 498-40
Fax +49 (0) 7141 498-4999
export@hahn-kolb.de